






completed <input checked="" type="checkbox"/>	A-Service <input type="checkbox"/>	B-Service <input type="checkbox"/>	Not O.K. <input type="checkbox"/>
<input type="checkbox"/> Brake test on dynamometer or test drive. Check parking brake and run in according to specifications (on vehicles with 4MATIC, ASR, ETS, ESP observe instructions in Maintenance Manual!). Enter brake values in N: <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <span>front</span> <span>rear</span> <span>Parking brake</span> </div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <span>left</span> <span>_____</span> <span>_____</span> <span>_____</span> </div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <span>right</span> <span>_____</span> <span>_____</span> <span>_____</span> </div>		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.00-P-4290BA
	<b>Vehicle passenger compartment</b>		
<b>Function check</b>			
<input type="checkbox"/> Horn, headlamp flasher, hazard flashers, turn signals	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Warning/indicator lamps, illumination and interior lighting	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Exterior lighting incl. headlamp	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Windshield wipers, windshield washer system	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP82.35-P-8252BA
<input type="checkbox"/> Headlamp cleaning system	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Check seat belts for damage and proper function	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP91.40-P-9150Z
<input type="checkbox"/> Reset FSS counter in instrument cluster	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<input type="checkbox"/> Replace dust filter	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	AP83.00-P-8381A
	<b>Wheels, brakes</b>		
<input type="checkbox"/> Remove and reinstall wheels, rotate if necessary, does not apply for vehicles with different tire sizes front/rear		<input checked="" type="checkbox"/>	AP40.10-P-4050Z
<input type="checkbox"/> Check brake pads for lining thickness front/rear		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.10-P-4251BA
<input type="checkbox"/> Check condition of brake discs front and rear		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.10-P-4251BA
<input type="checkbox"/> Check thickness of brake pads by removing and reinstalling right front wheel	<input checked="" type="checkbox"/>		<input type="checkbox"/> AP42.10-P-4251BA
<input type="checkbox"/> Check condition of brake discs by removing and reinstalling right front wheel	<input checked="" type="checkbox"/>		<input type="checkbox"/> AP42.10-P-4251BA
<input type="checkbox"/> Inspect tires for damage and condition	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP40.10-P-4051Z
<input type="checkbox"/> Measure tread depth, enter in mm:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP40.10-P-4051Z
<div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> <span>LF</span> <span>RF</span> <span>LR</span> <span>RR</span> </div> outside _____ center _____ inside _____			
<input type="checkbox"/> Correct tire inflation pressure	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	<b>Vehicle underbody</b>		
<input type="checkbox"/> Visual check for <b>Leakage - Major components</b> Chafe marks, line routing, components. In the event of leakage, determine cause and perform repair via separate work order.		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0053BA

completed <input checked="" type="checkbox"/>	A-Service <input type="checkbox"/>	B-Service <input type="checkbox"/>	Not O.K.
↓	↓	↓	↓
<input type="checkbox"/>		⊗	<input type="checkbox"/> AP33.20-P-3353BA
<input type="checkbox"/>		⊗	<input type="checkbox"/> AP46.00-P-4653BA
<b>Engine compartment</b>			
<input type="checkbox"/>		⊗	<input type="checkbox"/> AP00.20-P-0053BA
<b>Leakage - Major components</b> Chafe marks, line routing, components. In the event of leakage, determine cause and perform repair via separate work order.			
<input type="checkbox"/>	⊗	⊗	
Engine oil and filter change Engine 112 <span style="float: right;">AP18.00-P-0101AE</span> Engine 113 <span style="float: right;">AP18.00-P-0101AF</span>			
<b>Check and correct fluid level</b>			
<input type="checkbox"/>	⊗	⊗	<input type="checkbox"/> AP20.00-P-2010Z
Engine cooling system, anti-freeze and corrosion protection _____ °C			
<input type="checkbox"/>	⊗	⊗	<input type="checkbox"/> AP42.10-P-4210Z
<input type="checkbox"/>		⊗	<input type="checkbox"/> AP46.00-P-4611BB
<input type="checkbox"/>		⊗	<input type="checkbox"/>
AC refrigerant level In the event of leakage, determine cause and perform repair via separate work order.			
<input type="checkbox"/>	⊗	⊗	<input type="checkbox"/> AP82.35-P-8210Z
<input type="checkbox"/>		⊗	<input type="checkbox"/> AP13.22-P-1351Z
<input type="checkbox"/>		⊗	<input type="checkbox"/> AP30.10-P-3022ZA
<input type="checkbox"/>	⊗	⊗	<input type="checkbox"/> AP88.40-P-8821BA
Lubricate catch, safety catch and hinges on engine hood.			
<b>Front, rear of vehicle</b>			
<input type="checkbox"/>		⊗	<input type="checkbox"/>
Inspect headlamp range adjustment of headlamps (not with xenon headlamps)			
<input type="checkbox"/>		⊗	<input type="checkbox"/> AP82.10-P-8260A
Inspect headlamp setting, adjust to correct setting			
<input type="checkbox"/>		⊗	<input type="checkbox"/> AP82.30-P-8253G
Replace windshield wiper rubber inserts			
<b>Trunk</b>			
<b>Check</b>			
<input type="checkbox"/>	⊗	⊗	<input type="checkbox"/> AP54.10-P-5410A
If so equipped: Battery, wet cell Check acid level, replenish			
<input type="checkbox"/>	⊗	⊗	<input type="checkbox"/> AP54.10-U-5453A
Additionally, check battery condition using "Midtronics MCR 717" Tester. Attach Midtronics MCR 717 Test Report print out here.			

completed <input checked="" type="checkbox"/>		A-Service <input type="checkbox"/>	B-Service <input type="checkbox"/>	Not O.K.
↓		↓	↓	↓
<input type="checkbox"/>	<b>If so equipped:</b> Battery, AGM/VRLA with black housing Check battery condition using "Midtronics MCR 717" Tester. Attach Midtronics MCR 717 Test Report print out here.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP54.10-U-5453A
<input type="checkbox"/>	Correct tire inflation pressure in spare tire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Additional Work</b>				
completed <input checked="" type="checkbox"/>		Perform:	yes	Not O.K.
↓			↓	↓
<b>At approx. every 30,000 mi/48,000 km or 4 years:</b>				
AP	<input type="checkbox"/> Retighten lock bolts of steering. Observe torque.	<input type="checkbox"/>		<input type="checkbox"/> AP46.20-P-4671BA
<b>At approx. every 50,000 mi/80,000 km:</b>				
AP	<input type="checkbox"/> Check condition of drive shaft flex discs	<input type="checkbox"/>		<input type="checkbox"/> AP41.10-P-4152Z
<b>At approx. every 60,000 mi/96,000 km or 4 years:</b>				
AP	<input type="checkbox"/> Replace air cleaner filter element	<input type="checkbox"/>		
<b>At approx. every 60,000 mi/96,000 km or 5 years:</b>				
AP	<input type="checkbox"/> Replace fuel filter	<input type="checkbox"/>		AP47.20-P-0780DC
<b>Every 2 years</b>				
AP	<input type="checkbox"/> Replace brake fluid	<input type="checkbox"/>		AP42.00-P-4280BA
AP	<input type="checkbox"/> Check body for paint damage by Service Advisor	<input type="checkbox"/>		<input type="checkbox"/> AP98.00-P-9850BA
AP	<input type="checkbox"/> Check chassis and supporting body parts for damage and corrosion by Service Advisor	<input type="checkbox"/>		<input type="checkbox"/> AP00.20-P-0090BA
<b>Every 3 years</b>				
AP	<input type="checkbox"/> Replace coolant	<input type="checkbox"/>		AP20.00-P-2080A
AP	<input type="checkbox"/> Sliding/pop-up roof: clean and grease sliding rails and sliders	<input type="checkbox"/>		AP77.20-P-7731A
<b>Replace spark plugs</b>				
AP	<input type="checkbox"/> At approx. every 100,000 mi/160,000 km or 5 years	<input type="checkbox"/>		AP15.10-P-1580A